



MADE IN CANADA



PRODUCTS

ACCESSORIES

SUPPORT AND  
PARTS

WARRANTY



*USA - Price list*

**2018**

**STOVE BUILDER INTERNATIONAL INC. (SBI)**  
250, DE COPENHAGUE  
ST-AUGUSTIN-DE-DESMAURES,  
(QUEBEC) CANADA G3A 2H3  
**TEL: 418-878-3078**  
**FAX: 1-888-355-5067**

Valid from February 1st 2018  
Printed on November 30th 2017

# Table of contents

<b>WOOD STOVES (EPA) - SMALL</b>	4
900 WOOD STOVE - OB00900	4
<b>WOOD STOVES (EPA) - MEDIUM</b>	5
1600 WOOD STOVE - OB01613	5
SOHO WOOD STOVE - OB01520	6
<b>WOOD STOVES (EPA) - LARGE</b>	7
2000 WOOD STOVE WITH BLOWER - OB02010	7
2200 WOOD STOVE - OB02211	8
MATRIX WOOD STOVE WITH BLOWER - OB02020	9
<b>WOOD STOVES (EPA) - EXTRA LARGE</b>	10
2300 WOOD STOVE WITH BLOWER - OB02302	10
2400 WOOD STOVE - OB02411	11
<b>WOOD INSERTS (EPA) - MEDIUM</b>	12
1100 WOOD INSERT - OB01151	12
1600 WOOD INSERT - OB01601	13
1800 WOOD INSERT - OB01801	14
<b>WOOD INSERTS (EPA) - LARGE</b>	15
2000 WOOD INSERT - OB02011	15
2200 WOOD INSERT - OB02201	16
MATRIX WOOD INSERT - OB02021	17
<b>WOOD INSERTS (EPA) - EXTRA LARGE</b>	18
2400 WOOD INSERT - OB02401	18
<b>WOOD FIREPLACES (EPA) - LARGE</b>	19
STRATFORD WOOD FIREPLACE - OB04002	19
<b>WOOD FIREPLACES (EPA) - EXTRA LARGE</b>	20
HORIZON WOOD FIREPLACE - OB04010	20
<b>WOOD FIREPLACES (EPA)</b>	21
HORIZON WOOD FIREPLACE INCLUDING 4 LENGTHS OF 8" X 36" VENTIS CHIMNEY - OB04010K	21
<b>PELLET STOVES (EPA) - MEDIUM</b>	22
2500 PELLETT STOVE - OP00025	22
3000 PELLETT STOVE - OP00030	23
5000 PELLETT STOVE - OP00050	24
VOLTA PELLETT STOVE - OP00055	25
<b>PELLET STOVES (EPA) - LARGE</b>	26
7000 PELLETT STOVE - OP00070	26
<b>FIREPLACE TOOL SETS</b>	27

## 900 WOOD STOVE



Manufacturer code

OB00900

MSRP

\$1049,00

UPC code 773388033815



## OPTIONS

MSRP

AC01318	• RIGID FIRESCREEN	\$140,00
AC01331	• 5"Ø FRESH AIR INTAKE KIT	\$125,00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$180,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$65,00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$35,00
AC02600	• CAST IRON COOKING GRIDDLE FOR WOOD STOVE	\$140,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02710	• CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$319,00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM	\$279,00
AC02713	• CERTIFIED MODULAR HEAT SHIELD SYSTEM EXTENSION	\$159,00

## FEATURES

• Height X Width X Depth - Overall	: 25 3/4" X 22 7/8" X 21 7/8"
• Maximum log length	: 17"
• Shipping Weight	: 273 lb (124 kg)
• Firebox volume (cu. ft.)	: 1.3
• Recommended heating area (sq.ft.)	: 250 - 1,000
• Chimney diameter	: 6"
• Maximum burn time	: 5 h
• Approved for an alcove installation	: Yes

## 1600 WOOD STOVE



Manufacturer code

OB01613

MSRP

\$1299,00

UPC code 773389056776



Requires the addition of accessories (A) and (B) to complete the unit

## REQUIRED ACCESSORIES

MSRP

## A

OA10230	• BLACK CAST IRON DOOR OVERLAY	\$100,00
OA10234	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$280,00

## B

OA10200	• BLACK CAST IRON LEG KIT AND ASH PAN	\$200,00
OA10207	• BRUSHED NICKEL CAST IRON LEG KIT AND ASH PAN	\$460,00
OA10215	• PEDESTAL KIT AND ASH DRAWER WITH LID	\$275,00

## OPTIONS

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$35,00
AC02600	• CAST IRON COOKING GRIDDLE FOR WOOD STOVE	\$140,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02710	• CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$319,00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM	\$279,00
AC02713	• CERTIFIED MODULAR HEAT SHIELD SYSTEM EXTENSION	\$159,00
OA10500	• 5"Ø FRESH AIR INTAKE KIT (FAKW) FOR WOOD STOVE ON PEDESTAL	\$60,00
OA10505	• 130 CFM BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL	\$230,00

## FEATURES

• Height X Width X Depth - Overall	: 32 3/8" X 25" X 26 1/2"
• Maximum log length	: 17"
• Shipping Weight	: 360 lb (163 kg)
• Firebox volume (cu. ft.)	: 2.0
• Recommended heating area (sq.ft.)	: 500 - 1,800
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 6"
• Maximum burn time	: 6 h

# SOHO WOOD STOVE



Manufacturer code  
OB01520

MSRP  
\$1419,00

UPC code 773388080925



Requires the addition of accessories (A) and (B) to complete the unit

## REQUIRED ACCESSORIES

MSRP

A		
AC01368	• TWO-SIDED PEDESTAL AND ASH DRAWER	\$299,00
AC01369	• REGULAR PEDESTAL AND ASH DRAWER	\$250,00
B		
AC01371	• BLACK DECORATIVE SIDE PANELS	\$80,00
AC01372	• CREME ENAMELED DECORATIVE SIDE PANELS	\$130,00
AC01373	• RED ENAMELED DECORATIVE SIDE PANELS	\$130,00

## OPTIONS

MSRP

AC01000	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$249,00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$65,00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$35,00
AC02600	• CAST IRON COOKING GRIDDLE FOR WOOD STOVE	\$140,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02710	• CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$319,00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM	\$279,00
AC02713	• CERTIFIED MODULAR HEAT SHIELD SYSTEM EXTENSION	\$159,00

## FEATURES

• Height X Width X Depth - Overall	: 32 7/8" X 28 1/2" X 20"
• Maximum log length	: 17"
• Shipping Weight	: 326 lb (148 kg)
• Firebox volume (cu. ft.)	: 1.7
• Recommended heating area (sq.ft.)	: 500 - 1,500
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 6"
• Maximum burn time	: 6 h

## 2000 WOOD STOVE WITH BLOWER



Manufacturer code

OB02010

MSRP

\$1599,00

UPC code 773388055831



Requires the addition of accessories (A) and (B) to complete the unit

## REQUIRED ACCESSORIES

MSRP

## A

OA10220	• BLACK CAST IRON DOOR OVERLAY	\$100,00
OA10224	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$300,00

## B

OA10225	• PEDESTAL AND ASH DRAWER WITH SAFETY LID	\$275,00
OA10226	• BLACK CAST IRON LEG KIT WITH ASH DRAWER AND SAFETY LID	\$250,00
OA10228	• BRUSHED NICKEL CAST IRON LEG KIT WITH ASH PAN AND SAFETY LID	\$520,00

## OPTIONS

MSRP

AC01315	• RIGID FIRESCREEN	\$140,00
AC01316	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$135,00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$80,00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$65,00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$35,00
AC02600	• CAST IRON COOKING GRIDDLE FOR WOOD STOVE	\$140,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02710	• CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$319,00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM	\$279,00
AC02713	• CERTIFIED MODULAR HEAT SHIELD SYSTEM EXTENSION	\$159,00

## FEATURES

• Height X Width X Depth - Overall	: 34 3/4" X 27" X 30"
• Maximum log length	: 20"
• Shipping Weight	: 390 lb (177 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended heating area (sq.ft.)	: 500 - 2,100
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 6"
• Maximum burn time	: 8 h
• Blower included	: Yes

## 2200 WOOD STOVE



Manufacturer code  
OB02211

MSRP  
\$1999,00

UPC code 773388909653



Requires the addition of accessories (A) and (B) to complete the unit

### REQUIRED ACCESSORIES

MSRP

#### A

OA10140	• BLACK DOOR OVERLAY	\$120,00
OA10150	• BRUSHED NICKEL DOOR OVERLAY	\$270,00

#### B

OA10100	• BLACK LOUVER AND TRIVET	\$130,00
OA10107	• BRUSHED NICKEL PLATED LOUVER AND TRIVET	\$230,00

### OPTIONS

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$35,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02710	• CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$319,00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM	\$279,00
AC02713	• CERTIFIED MODULAR HEAT SHIELD SYSTEM EXTENSION	\$159,00
OA10500	• 5"Ø FRESH AIR INTAKE KIT (FAKW) FOR WOOD STOVE ON PEDESTAL	\$60,00
OA10510	• 130 CFM BLOWER 115V-60Hz-56W	\$230,00

### FEATURES

• Height X Width X Depth - Overall	: 32 1/8" X 26" X 26 1/4"
• Maximum log length	: 18"
• Shipping Weight	: 399 lb (181 kg)
• Firebox volume (cu. ft.)	: 2.3
• Recommended heating area (sq.ft.)	: 800 - 2,000
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 6"
• Maximum burn time	: 8 h

## MATRIX WOOD STOVE WITH BLOWER



## Manufacturer code

OB02020

## MSRP

\$2649,00

UPC code 773388059341

The two pieces of soapstone for the top of the unit are included in the price.

EPA  
≤4.5 g/h

Requires the addition of accessories (A) to complete the unit

## REQUIRED ACCESSORIES

MSRP

A

OA10700	• BLACK SIDE PANEL KIT	\$350,00
OA10701	• SOAP STONE SIDE PANEL KIT	\$700,00

## OPTIONS

MSRP

AC01315	• RIGID FIRESCREEN	\$140,00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$35,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02710	• CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$319,00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM	\$279,00
AC02713	• CERTIFIED MODULAR HEAT SHIELD SYSTEM EXTENSION	\$159,00

## FEATURES

• Height X Width X Depth - Overall	: 36 7/8" X 27 1/8" X 25 5/8"
• Maximum log length	: 20"
• Shipping Weight	: 537 lb (244 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended heating area (sq.ft.)	: 750 - 2,100
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 6"
• Maximum burn time	: 8 h
• Blower included	: Yes



## WOOD STOVES (EPA) - EXTRA LARGE

# 2300 WOOD STOVE WITH BLOWER



Manufacturer code

OB02302

MSRP

**\$1849,00**

UPC code 773388110424



Requires the addition of accessories (A) and (B) to complete the unit

### REQUIRED ACCESSORIES

MSRP

A		
OA10073	• BLACK CAST IRON DOOR OVERLAY	\$100,00
OA10075	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$270,00
B		
AC01382	• PEDESTAL AND ASH DRAWER WITH SAFETY LID	\$250,00
AC01383	• BLACK CAST IRON LEG KIT WITH ASH PAN	\$250,00
AC01384	• BRUSHED NICKEL CAST IRON LEG KIT AND ASH PAN	\$500,00

### OPTIONS

MSRP

AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$80,00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC01381	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$140,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$65,00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$35,00
AC02600	• CAST IRON COOKING GRIDDLE FOR WOOD STOVE	\$140,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02710	• CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$319,00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM	\$279,00
AC02713	• CERTIFIED MODULAR HEAT SHIELD SYSTEM EXTENSION	\$159,00

### FEATURES

• Height X Width X Depth - Overall	: 33 5/8" X 25 3/4" X 34 7/8"
• Maximum log length	: 20"
• Shipping Weight	: 450 lb (204 kg)
• Firebox volume (cu. ft.)	: 3.4
• Recommended heating area (sq.ft.)	: 900 - 2,300
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 6"
• Maximum burn time	: 10 h
• Blower included	: Yes

WOOD STOVES (EPA) - EXTRA LARGE

2400 WOOD STOVE



Manufacturer code  
OB02411

MSRP  
\$1899,00

UPC code 773388014890



Requires the addition of accessories (A) to complete the unit

**REQUIRED ACCESSORIES**

MSRP

A		
OA10090	• BLACK CAST IRON DOOR OVERLAY	\$150,00
OA10092	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$320,00

**OPTIONS**

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$35,00
AC02600	• CAST IRON COOKING GRIDDLE FOR WOOD STOVE	\$140,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02710	• CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$319,00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM	\$279,00
AC02713	• CERTIFIED MODULAR HEAT SHIELD SYSTEM EXTENSION	\$159,00
OA10500	• 5"Ø FRESH AIR INTAKE KIT (FAKW) FOR WOOD STOVE ON PEDESTAL	\$60,00
OA10510	• 130 CFM BLOWER 115V-60Hz-56W	\$230,00

**FEATURES**

• Height X Width X Depth - Overall	: 33" X 30" X 30 5/8"
• Maximum log length	: 21"
• Shipping Weight	: 513 lb (233 kg)
• Firebox volume (cu. ft.)	: 3.4
• Recommended heating area (sq.ft.)	: 1,000 - 2,700
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 6"
• Maximum burn time	: 10 h

## 1100 WOOD INSERT



Manufacturer code

OB01151

MSRP

\$1449,00

UPC code 773388016016



Requires the addition of accessories (A), (B) and (C) to complete the unit

## REQUIRED ACCESSORIES

MSRP

A		
OA10230	• BLACK CAST IRON DOOR OVERLAY	\$100,00
OA10234	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$280,00
B		
OA10450	• REGULAR FACEPLATE KIT (29" X 44")	\$120,00
C		
OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$100,00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$100,00

## FEATURES

• Height X Width X Depth - Overall	: 21 1/8" X 25 1/2" X 22 1/4"
• Maximum log length	: 17"
• Fireplace opening - minimum (Height X Width X Depth)	: 21 3/4" X 26" X 12 7/8"
• Shipping Weight	: 297 lb (135 kg)
• Firebox volume (cu. ft.)	: 1.5
• Recommended heating area (sq.ft.)	: 250 - 1,400
• Chimney diameter	: 6"
• Maximum burn time	: 6 h
• Blower included	: Yes

**1600 WOOD INSERT**

Manufacturer code

OB01601

MSRP

**\$1599,00**

UPC code 773389056769



Requires the addition of accessories (A), (B) and (C) to complete the unit

**REQUIRED ACCESSORIES**

MSRP

<b>A</b>		
OA10230	• BLACK CAST IRON DOOR OVERLAY	\$100,00
OA10234	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$280,00
<b>B</b>		
OA10300	• REGULAR FACEPLATE KIT (29" X 44")	\$140,00
OA10305	• MEDIUM FACEPLATE KIT (32" X 44")	\$150,00
OA10310	• LARGE FACEPLATE KIT (32" X 50")	\$170,00
<b>C</b>		
OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$100,00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$100,00
OA10125	• BLACK FACEPLATE TRIMS (32" X 44")	\$100,00
OA10126	• BRUSHED NICKEL FACEPLATE TRIMS (32" X 44")	\$100,00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$100,00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$100,00

**FEATURES**

• Height X Width X Depth - Overall	: 22 5/8" X 25 7/8" X 26"
• Maximum log length	: 17"
• Fireplace opening - minimum (Height X Width X Depth)	: 22 5/8 X 26 3/8" X 14 3/8"
• Shipping Weight	: 378 lb (172 kg)
• Firebox volume (cu. ft.)	: 2.0
• Recommended heating area (sq.ft.)	: 500 - 1,800
• Chimney diameter	: 6"
• Maximum burn time	: 6 h
• Blower included	: Yes

**1800 WOOD INSERT**

Manufacturer code

OB01801

MSRP

**\$1959,00**

UPC code 773388995038



Requires the addition of accessories (A), (B) and (C) to complete the unit

**REQUIRED ACCESSORIES**

MSRP

<b>A</b>		
OA10040	• BLACK DOOR OVERLAY	\$120,00
OA10050	• BRUSHED NICKEL DOOR OVERLAY	\$260,00
<b>B</b>		
OA10020	• MEDIUM FACEPLATE WITHOUT TRIM (32" X 44")	\$190,00
OA10030	• REGULAR FACEPLATE WITHOUT TRIM (29" X 44")	\$170,00
<b>C</b>		
OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$100,00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$100,00
OA10125	• BLACK FACEPLATE TRIMS (32" X 44")	\$100,00
OA10126	• BRUSHED NICKEL FACEPLATE TRIMS (32" X 44")	\$100,00

**FEATURES**

• Height X Width X Depth - Overall	: 20 3/8" X 30" X 25 3/8"
• <b>Maximum log length</b>	: <b>16"</b>
• Fireplace opening - minimum (Height X Width X Depth)	: 20" X 23 3/8" X 14 5/8"
• <b>Shipping Weight</b>	: <b>307 lb (139 kg)</b>
• Firebox volume (cu. ft.)	: 1.8
• <b>Recommended heating area (sq.ft.)</b>	: <b>500 - 1,800</b>
• Chimney diameter	: 6"
• <b>Maximum burn time</b>	: <b>6 h</b>
• Blower included	: Yes

## 2000 WOOD INSERT



Manufacturer code

OB02011

MSRP

\$1879,00

UPC code 773388055848



Requires the addition of accessories (A), (B) and (C) to complete the unit

## REQUIRED ACCESSORIES

MSRP

A		
OA10220	• BLACK CAST IRON DOOR OVERLAY	\$100,00
OA10224	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$300,00
B		
AC03410	• REGULAR FACEPLATE (29" X 44")	\$120,00
AC03411	• LARGE FACEPLATE (32" X 50")	\$160,00
C		
OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$100,00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$100,00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$100,00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$100,00

## OPTIONS

MSRP

AC01298	• 5" FRESH AIR INTAKE KIT OVAL	\$55,00
AC01315	• RIGID FIRESCREEN	\$140,00
AC01317	• 7 3/16" X 26" HEAT SHIELD FOR SURROUND/SHELF	\$100,00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC01357	• 32" X 50" CUTTABLE FACEPLATE (18-GAUGE)	\$150,00

## FEATURES

• Height X Width X Depth - Overall	: 23 1/8" X 28 3/8" X 26 1/2"
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 15 3/4"
• Shipping Weight	: 421 lb (191 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended heating area (sq.ft.)	: 500 - 2,100
• Chimney diameter	: 6"
• Maximum burn time	: 8 h
• Blower included	: Yes

## 2200 WOOD INSERT



Manufacturer code  
OB02201

MSRP  
\$2249,00

UPC code 773388909608



Requires the addition of accessories (A), (B) and (C) to complete the unit

### REQUIRED ACCESSORIES

MSRP

A		
OA10140	• BLACK DOOR OVERLAY	\$120,00
OA10150	• BRUSHED NICKEL DOOR OVERLAY	\$270,00
B		
OA10110	• LARGE FACEPLATE KIT (32" X 50")	\$230,00
OA10115	• MEDIUM FACEPLATE KIT (32" X 44")	\$220,00
OA10120	• REGULAR FACEPLATE KIT (29" X 44")	\$200,00
C		
OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$100,00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$100,00
OA10125	• BLACK FACEPLATE TRIMS (32" X 44")	\$100,00
OA10126	• BRUSHED NICKEL FACEPLATE TRIMS (32" X 44")	\$100,00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$100,00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$100,00

### FEATURES

• Height X Width X Depth - Overall	: 23 1/8" X 32 7/8" X 28 3/8"
• Maximum log length	: 18"
• Fireplace opening - minimum (Height X Width X Depth)	: 22 5/8" X 26 1/4" X 17 3/8"
• Shipping Weight	: 380 lb (172 kg)
• Firebox volume (cu. ft.)	: 2.3
• Recommended heating area (sq.ft.)	: 800 - 2,000
• Chimney diameter	: 6"
• Maximum burn time	: 8 h
• Blower included	: Yes

## MATRIX WOOD INSERT



**Manufacturer code**  
OB02021

**MSRP**  
**\$2549,00**

**UPC code** 773388059358

Note that in order to install the optional projection kit AC01323, one of the optional faceplate backing plate kit AC01322 or AC01332 must be purchased separately to secure the projection kit to it.



### OPTIONS

MSRP

AC01298	• 5" FRESH AIR INTAKE KIT OVAL	\$55,00
AC01315	• RIGID FIRESCREEN	\$140,00
AC01321	• BOTTOM FACEPLATE BACKING PLATE 44" X 6"	\$60,00
AC01322	• 29" X 44" FACEPLATE BACKING PLATE KIT	\$110,00
AC01323	• PROJECTION KIT FOR INSERT 2" OR 4"	\$100,00
AC01332	• 29" X 50" FACEPLATE BACKING PLATE KIT	\$150,00
AC01333	• BOTTOM FACEPLATE BACKING PLATE 50" X 6"	\$70,00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00

### FEATURES

• Height X Width X Depth - Overall	: 25 1/8" X 36 1/8" X 23 1/8"
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/4" X 28 7/8" X 19 5/8"
• Shipping Weight	: 484 lb (220 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended heating area (sq.ft.)	: 750 - 2,100
• Chimney diameter	: 6"
• Maximum burn time	: 8 h
• Blower included	: Yes



WOOD INSERTS (EPA) - EXTRA LARGE

2400 WOOD INSERT



Manufacturer code  
OB02401

MSRP  
\$2099,00

UPC code 773388014906



Requires the addition of accessories (A), (B) and (C) to complete the unit

**REQUIRED ACCESSORIES**

MSRP

A		
OA10090	• BLACK CAST IRON DOOR OVERLAY	\$150,00
OA10092	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$320,00
B		
OA10315	• REGULAR FACEPLATE (29" X 44")	\$150,00
OA10320	• MEDIUM FACEPLATE (32" X 44")	\$160,00
OA10325	• LARGE FACEPLATE (32" X 50")	\$170,00
C		
OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$100,00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$100,00
OA10125	• BLACK FACEPLATE TRIMS (32" X 44")	\$100,00
OA10126	• BRUSHED NICKEL FACEPLATE TRIMS (32" X 44")	\$100,00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$100,00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$100,00

**FEATURES**

• Height X Width X Depth - Overall	: 23" X 31 1/8" X 28"
• Maximum log length	: 21"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 1/2" X 31 5/8" X 16 1/4"
• Shipping Weight	: 512 lb (232 kg)
• Firebox volume (cu. ft.)	: 3.4
• Recommended heating area (sq.ft.)	: 1,000 - 2,700
• Chimney diameter	: 6"
• Maximum burn time	: 10 h
• Blower included	: Yes

## STRATFORD WOOD FIREPLACE



Manufacturer code

OB04002

MSRP

\$2429,00

UPC code 773388088631



Requires the addition of accessories (A) and (B) to complete the unit

## REQUIRED ACCESSORIES

MSRP

## A

OA10600	• BLACK CAST IRON DOOR OVERLAY	\$220,00
OA10602	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$530,00

## B

OA10330	• TRADITIONAL STYLE FACEPLATE	\$500,00
OA10331	• PRAIRIE STYLE FACEPLATE	\$500,00
OA10332	• TRADITIONAL FACEPLATE WITH BRUSHED NICKEL ACCENTS	\$630,00

## OPTIONS

MSRP

AC01340	• FORCED AIR DISTRIBUTION KIT 300 CFM	\$649,00
AC01345	• 3"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR DISTRIBUTION KIT	\$145,00
AC01375	• HOT AIR GRAVITY DISTRIBUTION KIT - TRADITIONAL	\$300,00
AC01560	• RIGID FIRESCREEN	\$110,00
AC02092	• 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$50,00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	To come

## FEATURES

• Height X Width X Depth - Overall	: 47 1/8" X 37 7/8" X 29 5/8"
• Maximum log length	: 21"
• Shipping Weight	: 424 lb (192 kg)
• Firebox volume (cu. ft.)	: 2.5
• Recommended heating area (sq.ft.)	: 750 - 2,100
• Chimney diameter	: 6"
• Maximum burn time	: 9 h
• Blower included	: Yes
• Moulded refractory bricks	
• Cast iron andirons	

# WOOD FIREPLACES (EPA) - EXTRA LARGE

## HORIZON WOOD FIREPLACE



**Manufacturer code**  
OB04010

**MSRP**  
**\$3599,00**

**UPC code** 773388128894



Requires the addition of accessories (A) and (B) to complete the unit

### REQUIRED ACCESSORIES

MSRP

A		
OA10630	• PRAIRIE STYLE FACEPLATE	\$600,00
B		
AC02360	• CLASSIC MOULDED REFRACTORY BRICK PANELS	\$550,00

### OPTIONS

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$130,00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR DISTRIBUTION KIT	\$145,00
AC01378	• WARM AIR CIRCULATION GRILLE - MODERN STYLE	\$250,00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	To come
VA4460	• FORCED AIR DISTRIBUTION KIT	\$540,00

### FEATURES

• Chimney diameter	: 8"
• <b>Height X Width X Depth - Overall</b>	: <b>43 3/8" X 50 3/4" X 31 3/4"</b>
• Maximum log length	: 25"
• <b>Shipping Weight</b>	: <b>550 lb (250 kg)</b>
• Recommended heating area (sq.ft.)	: 1,000 - 2,800
• <b>Maximum burn time</b>	: <b>10 h</b>
• Firebox volume (cu. ft.)	: 4.28
• <b>Blower included</b>	: <b>Yes</b>
• Moulded refractory bricks	

## 2500 PELLET STOVE



Manufacturer code  
OP00025

MSRP  
\$2799,00

UPC code 773388159355



### OPTIONS

MSRP

Options	MSRP
AC01240 • 3"Ø X 5' FRESH AIR INTAKE KIT	\$65,00
AC01393 • 55 SERIES HOPPER EXTENSION	\$229,00
AC01460 • STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM	\$2499,00
AC01462 • AC01460 STORAGE TANK EXTENSION	\$250,00
AC01463 • STAND ALONE AUXILIARY DISCHARGE TANK	\$450,00
AC01464 • LEG ASSEMBLY FOR AC01463 DISCHARGE TANK	\$130,00
AC01465 • 2"Ø X 25' ANTI-STATIC FLEX HOSE	\$250,00
AC02012 • THERMOSTATIC CONTROL ON-OFF REMOTE	\$200,00
AC02092 • 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$50,00
AC02704 • GLASS HEARTH PAD 10 mm - 44" X 36"	\$299,00
AC05558 • DIGITAL WALL THERMOSTAT	\$95,00

Special  
Order  
Only

### FEATURES

• Hopper capacity	: 60 lb (27kg)
• Chimney diameter	: 3"
• Height X Width X Depth - Overall	: 33" X 25 7/8" X 30"
• Shipping Weight	: 275 lb (125 kg)
• Maximum heat input rate	: 39,260 BTU/h (11.5 kW)
• Recommended heating area (sq.ft.)	: 500 - 2,000
• Combustion Technology	: 3
• Maximum burn time	: 51h

# 3000 PELLET STOVE



Manufacturer code

OP00030

MSRP

\$3299,00

UPC code 773388157214



## OPTIONS

MSRP

AC01240	• 3"Ø X 5' FRESH AIR INTAKE KIT	\$65,00
AC01460	• STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM	\$2499,00
AC01462	• AC01460 STORAGE TANK EXTENSION	\$250,00
AC01463	• STAND ALONE AUXILIARY DISCHARGE TANK	\$450,00
AC01464	• LEG ASSEMBLY FOR AC01463 DISCHARGE TANK	\$130,00
AC01465	• 2"Ø X 25' ANTI-STATIC FLEX HOSE	\$250,00
AC02012	• THERMOSTATIC CONTROL ON-OFF REMOTE	\$200,00
AC02092	• 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$50,00
AC02704	• GLASS HEARTH PAD 10 mm - 44" X 36"	\$299,00
AC05568	• REMOTE CONTROL PROGRAMMABLE THERMOSTATIC	\$269,00

Special  
Order  
Only

## FEATURES

• Hopper capacity	: 55 lb (25 kg)
• Chimney diameter	: 3"
• Height X Width X Depth - Overall	: 32 5/8" X 24 3/8" X 30 5/8"
• Shipping Weight	: 367 lb (167 kg)
• Maximum heat input rate	: 43,000 BTU/h (12.6 kW)
• Recommended heating area (sq.ft.)	: 500 - 2,200
• Combustion Technology	: 4
• Maximum burn time	: 45 h

# 5000 PELLET STOVE



Manufacturer code  
OP00050

MSRP  
\$3899,00

UPC code 773388053721



Requires the addition of accessories (A) to complete the unit

## REQUIRED ACCESSORIES

MSRP

A		
OA10705	• BLACK CAST IRON DOOR OVERLAY	\$100,00
OA10706	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$290,00

## OPTIONS

MSRP

AC01240	• 3"Ø X 5' FRESH AIR INTAKE KIT	\$65,00
AC01460	• STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM	\$2499,00
AC01462	• AC01460 STORAGE TANK EXTENSION	\$250,00
AC01463	• STAND ALONE AUXILIARY DISCHARGE TANK	\$450,00
AC01464	• LEG ASSEMBLY FOR AC01463 DISCHARGE TANK	\$130,00
AC01465	• 2"Ø X 25' ANTI-STATIC FLEX HOSE	\$250,00
AC02012	• THERMOSTATIC CONTROL ON-OFF REMOTE	\$200,00
AC02092	• 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$50,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02704	• GLASS HEARTH PAD 10 mm - 44" X 36"	\$299,00
AC05568	• REMOTE CONTROL PROGRAMMABLE THERMOSTATIC	\$269,00

Special  
Order  
Only

## FEATURES

• Height X Width X Depth - Overall	: 36 1/2" X 23 5/8" X 31 1/2"
• Shipping Weight	: 430 lb (195 kg)
• Maximum heat input rate	: 47,300 BTU/h (13.9 kW)
• Recommended heating area (sq.ft.)	: 750 - 2,400
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 3"
• Combustion Technology	: 4
• Maximum burn time	: 64 h
• Electronic igniter	: Yes
• Hopper capacity	: 70 lb (32 kg)
• Blower included	: Yes

# VOLTA PELLET STOVE



Manufacturer code  
OP00055

MSRP  
**\$4599,00**

UPC code 773388111537



## OPTIONS

MSRP

AC01240	• 3"Ø X 5' FRESH AIR INTAKE KIT	\$65,00
AC01452	• <b>BATTERY HOLDER KIT</b>	<b>\$80,00</b>
AC01453	• LCD TOUCH SCREEN SLIDING SYSTEM	\$60,00
AC01454	• <b>24V (2 X 12V) BATTERY KIT</b>	<b>\$270,00</b>
AC01460	• STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM	\$2499,00
AC01462	• <b>AC01460 STORAGE TANK EXTENSION</b>	<b>\$250,00</b>
AC01463	• STAND ALONE AUXILIARY DISCHARGE TANK	\$450,00
AC01464	• <b>LEG ASSEMBLY FOR AC01463 DISCHARGE TANK</b>	<b>\$130,00</b>
AC01465	• 2"Ø X 25' ANTI-STATIC FLEX HOSE	\$250,00
AC02012	• <b>THERMOSTATIC CONTROL ON-OFF REMOTE</b>	<b>\$200,00</b>
AC02092	• 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$50,00
AC02703	• <b>GLASS HEARTH PAD 10 mm - 54" X 46 3/4"</b>	<b>\$449,00</b>
AC02704	• GLASS HEARTH PAD 10 mm - 44" X 36"	\$299,00
AC05558	• <b>DIGITAL WALL THERMOSTAT</b>	<b>\$95,00</b>
AC05568	• REMOTE CONTROL PROGRAMMABLE THERMOSTATIC	\$269,00

Special  
Order  
Only

## FEATURES

• Height X Width X Depth - Overall	: 41 1/8" X 21 3/4" X 28 1/8"
• <b>Shipping Weight</b>	<b>: 411 lb (186 kg)</b>
• Maximum heat input rate	: 45,600 BTU/h (13.4 kW)
• <b>Recommended heating area (sq.ft.)</b>	<b>: 500 - 2,000</b>
• Approved for a mobile home installation	: Yes
• <b>Chimney diameter</b>	<b>: 3"</b>
• Combustion Technology	: 4
• <b>Maximum burn time</b>	<b>: 50 h</b>
• Electronic igniter	: Yes
• <b>Approved for an alcove installation</b>	<b>: Yes</b>
• Hopper capacity	: 60 lb (27 kg)
• <b>Blower included</b>	<b>: Yes</b>

# 7000 PELLET STOVE



Manufacturer code  
OP00070

MSRP  
\$4499,00

UPC code 773388089423



Requires the addition of accessories (A) to complete the unit

## REQUIRED ACCESSORIES

MSRP

A		
OA10705	• BLACK CAST IRON DOOR OVERLAY	\$100,00
OA10706	• BRUSHED NICKEL CAST IRON DOOR OVERLAY	\$290,00

## OPTIONS

MSRP

AC01240	• 3"Ø X 5' FRESH AIR INTAKE KIT	\$65,00
AC01343	• HOT AIR DISTRIBUTION KIT	\$220,00
AC01460	• STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM	\$2499,00
AC01462	• AC01460 STORAGE TANK EXTENSION	\$250,00
AC01463	• STAND ALONE AUXILIARY DISCHARGE TANK	\$450,00
AC01464	• LEG ASSEMBLY FOR AC01463 DISCHARGE TANK	\$130,00
AC01465	• 2"Ø X 25' ANTI-STATIC FLEX HOSE	\$250,00
AC02012	• THERMOSTATIC CONTROL ON-OFF REMOTE	\$200,00
AC02703	• GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$449,00
AC02704	• GLASS HEARTH PAD 10 mm - 44" X 36"	\$299,00
AC05568	• REMOTE CONTROL PROGRAMMABLE THERMOSTATIC	\$269,00

Special  
Order  
Only

## FEATURES

• Height X Width X Depth - Overall	: 41 1/4" X 24" X 34 1/2"
• Shipping Weight	: 468 lb (212 kg)
• Maximum heat input rate	: 70,500 BTU/h (20.6 kW)
• Recommended heating area (sq.ft.)	: 1,000 - 2,800
• Approved for a mobile home installation	: Yes
• Chimney diameter	: 4"
• Combustion Technology	: 4
• Maximum burn time	: 104 h
• Electronic igniter	: Yes
• Hopper capacity	: 125 lb (57 kg)
• Blower included	: Yes



SKU #	UPC Code per unit	Available individually	List price per unit	Masterpack quantity of	List price per master pack
-------	-------------------	------------------------	---------------------	------------------------	----------------------------

## Fireplace tool sets

AC02350	773388127552	YES	119,00 \$	N/A	119,00 \$
---------	--------------	-----	-----------	-----	-----------



### EQUISS FREESTANDING LOG HOLDER

This compact and robust log holder is entirely manufactured in Canada and made of high quality steel. Its integrated handles make handling easier. The assembly is done in seconds; simply intersect the two panels and voila! A cuttable rubber band is also available to provide protection for the floor surface and to give it a finishing touch. Once the heating season is over, this free standing log holder is easy to take apart and will not clutter your living space.

AC02620	773388123684	YES	219,00 \$	N/A	219,00 \$
---------	--------------	-----	-----------	-----	-----------



### DUPLEX FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and combination of steel and wood construction make a strong contemporary design statement. Height of accessories: 19 1/2" (50 cm). Made in France with exceptional craftsmanship.

AC02621	773388123691	YES	139,00 \$	N/A	139,00 \$
---------	--------------	-----	-----------	-----	-----------



### INEO FIREPLACE TOOL SET

This distinctive hearth tool set contains four quality implements: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and simplicity make a strong contemporary design statement. Height of accessories: 19 1/2" (50 cm).

AC02622	773388123707	YES	139,00 \$	N/A	139,00 \$
---------	--------------	-----	-----------	-----	-----------



### PAPYRUS FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. The dramatic use of steel makes a strong contemporary design statement. Height of accessories: 19 1/2" (50 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftsmanship.

AC02623	773388123714	YES	199,00 \$	N/A	199,00 \$
---------	--------------	-----	-----------	-----	-----------



### TORSADE FIREPLACE TOOL SET

This distinctive hearth tool set contains four quality implements: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. The elegant curved steel makes a strong contemporary design statement. Height of stand: 22 1/2" (57 cm). Base diameter: 7 1/2" (19 cm).

AC02624	773388123721	YES	189,00 \$	N/A	189,00 \$
---------	--------------	-----	-----------	-----	-----------



### ABRIK FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and the geometric sides and base make a strong contemporary design statement. Height of stand: 22 1/2" (57 cm). Dimensions of square base: 7" (18 cm) X 7" (18 cm). Made in France with exceptional craftsmanship.

<b>AC02625</b>	<b>773388123738</b>	<b>YES</b>	<b>189,00 \$</b>	<b>N/A</b>	<b>189,00 \$</b>
----------------	---------------------	------------	------------------	------------	------------------



**SILHOUETTE FIREPLACE TOOL SET**

This distinctive hearth tool set contains four quality implements: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. The simple yet dramatic shape, along with stainless steel handles, make a strong contemporary design statement. Height of stand: 22 1/2" (55 cm); length: 13 1/4" (34 cm); depth: 6" (15 cm).

<b>AC02627</b>	<b>773388123752</b>	<b>YES</b>	<b>139,00 \$</b>	<b>N/A</b>	<b>139,00 \$</b>
----------------	---------------------	------------	------------------	------------	------------------



**FUSIO LOG HOLDER**

This distinctive log holder combines steel and beech wood, and can be set in two positions. Its curved shape makes a strong contemporary design statement. Make your life simpler by fueling your fire without ever being caught unprepared. Dimensions: height: 22 1/2" (55 cm); length: 18 1/2" (47 cm); depth: 22 1/2" (55 cm). Weight: 17 1/2 lb (8 kg). Made in France with exceptional craftsmanship.